

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 6,929,661 ^{B2}
DATED : August 16, 2005
INVENTOR(S) : Lee Bolduc, Andrew L. Chiang

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

NO
NO
[On the face of the Issued Patent under "Prior Publication Data" after reference US 2005/0113906 A9, delete "05/27/2005;" and substitute 05/26/2005 --]

[On the face of the Issued Patent under "References Cited, U.S. Patent Documents" insert -6,319,278, 11/20/2001, Quinn --]

Column 8, line 42, after "lumens" delete "includes" and substitute --include -- C

Mailing Address of Sender:
Ryan Kromholz & Manion, S.C.
Post Office Box 26618
Milwaukee, Wisconsin 53226

Number of Copies: 0

DEC 19 2005



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Date Mailed : December 29, 2005

Patent No. : 6,929,661 B2

Inventor : Bolduc et al

Patent Issued : August 16, 2005

Title : MULTI-LUMEN PROSTHESIS SYSTEMS AND METHODS

Docket No. : 9494.18378-PROV FOR

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Inspection of the file of the application for the patent reveals that cover page of the specification is/are printed in accordance with the record in the Patent and Trademark Office, as passed to issue by the examiner. There being no fault on the part of the Patent and Trademark Office, it has no authority to issue a certificate of correction under the provision of 1.322.

In view of the foregoing, your request for certificate of correction is hereby denied. However, further consideration will be given these matters, upon receipt of a request for certificate of correction under the provisions of 1.323, accompanied by the appropriate fee which is presently \$100.

A certificate of correction will be issued to correct the error(s) noted in your request.

Future correspondence concerning this matter should be filed and directed to Decisions & Certificates of Correction Branch.

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Attn: Certificates of Correction Branch

David Irvine
Cecilia Newman, Supervisor
Decisions & Certificates of Correction Branch
703/308-9590 or 703/305-4362 (Fax 703/273-9927)

Daniel D. Ryan
Ryan Krumholz & Manion SC
Box 26618
Milwaukee, Mi. 53226

CBN/ di